

# High Pass Filter


50Ω BNC

100 MHz 7<sup>th</sup> Order

Part Number: CHPFL-0100-BNC



## Schematic



### Features:


- 7<sup>th</sup> Order Chebyshev Response
- 50Ω BNC Connectors

### Applications:

- Test Equipment
- Lab Use

### Maximum Ratings:

- +36dBm (4 Watts)
- Operating Temperature: -40°C to 85°C
- Storage Temperature: -45°C to 90°C
- 50 VDC



Crystek's new line of BNC High Pass Filters are designed in a rugged BNC housing. This filter line has excellent out-of-band rejection.



Designed for Test Equipment and General Lab Use.

#### Product Control:


Crystek Part Number:	CHPFL-0100-BNC	Release Date:	25-Jul-2017
Revision Level:	B	Responsible:	K. Piotrowicz



High Pass Filter  
50Ω BNC  
100 MHz 7<sup>th</sup> Order



<b>Product Control:</b>			
Crystek Part Number:	CHPFL-0100-BNC	Release Date:	25-Jul-2017
Revision Level:	B	Responsible:	K. Piotrowicz



High Pass Filter  
 50Ω BNC  
 100 MHz 7<sup>th</sup> Order

FREQ (MHz)	INSERTION LOSS (dB)	RETURN LOSS (dB)
0.300	73.85	0.03
2.799	102.62	0.00
5.297	120.51	0.00
7.796	101.07	0.00
10.294	106.67	0.00
12.793	105.75	0.01
15.291	107.04	0.01
20.288	102.99	0.03
22.787	101.39	0.04
25.285	94.70	0.05
30.282	87.39	0.07
32.781	81.82	0.08
35.279	76.94	0.10
40.276	68.48	0.14
42.775	64.32	0.16
45.273	60.57	0.18
50.270	53.35	0.24
52.769	49.93	0.27
55.267	46.66	0.30
60.264	40.27	0.38
65.261	34.17	0.48
70.258	28.24	0.62
72.757	25.31	0.70
95.243	3.14	7.76
100.240	1.73	14.52
105.237	1.22	23.48
112.733	0.94	33.04
130.222	0.68	22.60
145.213	0.58	20.29
175.195	0.42	25.64
195.183	0.36	35.53
207.676	0.34	28.81
225.165	0.33	22.95
280.132	0.33	17.37
325.105	0.32	16.65
375.075	0.32	16.63
455.027	0.32	16.39
500.000	0.36	15.90

**Product Control:**

Crystek Part Number:	CHPFLL-0100-BNC	Release Date:	25-Jul-2017
Revision Level:	B	Responsible:	K. Piotrowicz

Crystek Corporation reserves the right to make changes to its products and/or information contained herein without notice. No liability is assumed as a result of its use or application.

